

15 3
v
4

CATA SERVICE INSPECTION A

LIGHT/MEDIUM TRUCKS AND CARS EVERY 3,000 MILES

Vehicle # _____

Mileage _____

Date _____

Miles on service _____

Symbols: ✓-OK X-Adjust ○-Repair

VEHICLE UNDER CHASSIS INSPECTION

- Change engine oil and filter
 - Exhaust system inspection
 - Check engine mounts
 - Engine oil, transmission oil or antifreeze leaks
 - Differential oil level
 - Parking brake operation and adjustment
 - Drive shaft and U-joints
 - Rear axle U-bolts
 - Rear shocks and bushings
 - Leaf and coil spring
 - Check fuel tank for leaks
 - Mud flaps
 - A-arm bushings
 - Drag link, tie rod, relay rod ends, idler arm
 - King pins
 - W/C reservoir level
 - Brake wear, front and rear
 - Master cylinder level
 - Wheel seals for leaks
 - Check tire wear and pressure
- LF _____ LRI _____ LRO _____
- RF _____ RRI _____ RRO _____
- Rotate tires
 - Lube all components as required
 - Check steering shaft U-joints
 - Air bag PSI
 - Check stabilizer bar bushing and links

VEHICLE ROAD TEST AND INSPECTION

- Brake operation
- Speedometer and gauge operation
- Steering free travel
- Vehicle handling
- Transmission shifting operation
- Engine performance/smoking
- Body rattles
- Heater, defroster, A/C blower operation
- Check for leaks after return
- Check L/R turn radius
- Check brake retarder operation

VEHICLE EXTERIOR INSPECTION

- Headlights
- Turn signals/4-ways
- Marker and clearance lights
- Tail, brake lights
- License plate light
- Vinyl condition
- General body condition
- Lube all exterior door hinges, latches
- Inspect/tighten all wheel and axle nuts
- Battery: clean and fill
- Check windshield wipers, blades, arms, washers
- Voltage drop engine running at fast idle, acc. on:
Batt _____ Alt _____
- Doors, adjustment, seals, condition

VEHICLE ENGINE COMPARTMENT INSPECTION

- Check power steering fluid and pump
- Tighten all air cleaner hose clamps
- Tighten all radiator hose clamps
- Check hoses for rubbing, chafing
- Fan, A/C, alt. belts condition and tension
- Check condition of intake system hoses
- Wires secured, not rubbing

CATA SERVICE INSPECTION B

LIGHT/MEDIUM TRUCKS AND CARS

15,000
30,000 MILES

Vehicle # _____

Mileage _____

Date _____

Miles on service _____

Symbols: ✓-OK X-Adjust ○-Repair

VEHICLE UNDER CHASSIS INSPECTION

- Change engine oil and filter
- Exhaust system inspection
- Check engine mounts
- Engine oil, transmission oil or antifreeze leaks
- Differential oil level
- Parking brake operation and adjustment
- Drive shaft and U-joints
- Rear axle U-bolts
- Rear shocks and bushings
- Leaf and coil spring
- Check fuel tank for leaks
- Mud flaps
- A-arm bushings
- Drag link, tie rod, relay rod ends, Idler arm
- King pins
- W/C reservoir level
- Brake wear, front and rear
- Master cylinder level
- Wheel seals for leaks
- Check tire wear and pressure
- LF _____ LRI _____ LRO _____
- RF _____ RRI _____ RRO _____
- Rotate tires
- Lube all components as required
- Check steering shaft U-joints
- Air bag PSI
- Check stabilizer bar bushing and links

VEHICLE ROAD TEST AND INSPECTION

- Brake operation
- Speedometer and gauge operation
- Steering free travel
- Vehicle handling
- Transmission shifting operation
- Engine performance/smoking
- Body rattles
- Heater, defroster, A/C blower operation
- Check for leaks after return
- Check L/R turn radius
- Check brake retarder operation

VEHICLE EXTERIOR INSPECTION

- Headlights
- Turn signals/4-ways
- Marker and clearance lights
- Tail, brake lights
- License plate light
- Vinyl condition
- General body condition
- Lube all exterior door hinges, latches
- Inspect/tighten all wheel and axle nuts
- Battery: clean and fill
- Check windshield wipers, blades, arms, washers
- Voltage drop engine running at fast idle, acc. on:
Batt _____ Alt _____
- Doors, adjustment, seals, condition

VEHICLE ENGINE COMPARTMENT INSPECTION

- Check power steering fluid and pump
- Tighten all air cleaner hose clamps
- Tighten all radiator hose clamps
- Check hoses for rubbing, chafing
- Fan, A/C, alt. belts condition and tension
- Check condition of intake system hoses
- Wires secured, not rubbing

CATA SERVICE INSPECTION A

Coach _____

Mileage _____

Date _____

Miles on service _____

Engine hours DDEC _____

Check trouble codes _____

Symbols: ✓-Ok X-Adjust ○-Repair

COACH UNDER CHASSIS INSPECTION

- Change engine oil and filter
- Exhaust system inspection
- Check engine mounts
- Fan and hub for leaks
- Oz. drained from blower box tank _____
- Oil, water, air line for leaks
- Differential oil level
- Parking brake condition
- Drive shaft and U-joints
- Rear axle U-bolts
- Rear shocks and bushings
- Rear bellows and pistons
- Rear radius rod bushings and mounts
- Trunion bushings (Fix)
- Air tank mounts and drain
- Expello valve operation (RTS)
- Fuel tank for leaks
- Mud flaps
- A-arm bushings and bolts (RTS)
- Front radius rod bushings and mounts (Fix)
- Front bellow and pistons
- Drag link, tie rod, relay rod ends
- Bellcrank and idler arm bushings (RTS)
- King pins: check with bar
- W/C reservoir level (Fix)
- Brake adjustment, springs and cams
- Brake chamber parking brake spring
- Wheel seals for leaks
- Wheel hub caps for leaks

- Check tire wear and pressure
LF _____ LRI _____ LRO _____
RF _____ RRI _____ RRO _____

- Lube all components as required
- Check pressure protection valve (RTS)
- Check SR-1 valve operation (Fix)
- Brake/Accelerator interlock operation
- Check steering shaft U-joints
- Brake pressure test
- Slack adjuster boots condition
- Leveling valves leaks, links
- Ride height

COACH ROAD TEST AND INSPECTION

- Brake adjustment
- Speedometer and gauge operation
- Back-up alarm operation
- Steering free travel
- Coach handling
- Transmission shifting operation
- Engine performance/smoking
- Park brake adjustment
- Body rattles
- Heater, defroster, A/C blower operation
- Check for leaks after return
- Check L/R turn radius

- Oil pressure _____
- Road test _____

COACH EXTERIOR INSPECTION

- Headlights
- Turn signals/4-ways
- Marker and clearance lights
- Tail, brake lights
- License plate light

